




powerbloc[™] & *powerbloc*[™] *dry*

**BATTERY
TECHNOLOGIES**



STANDARD BATTERY SOLUTIONS

powerbloc™ & powerbloc™ dry BATTERY TECHNOLOGIES

BIGGER POWER — FOR SMALL TRACTION



POWERBLOC™ & POWERBLOC™ DRY BATTERIES

With exceptional performance offering longer run-time and low maintenance, powerbloc™ batteries provide efficient and user-friendly energy solutions across various applications. Specifically designed for small to medium traction tasks, these batteries supply the necessary energy to operate essential equipment without the need for frequent maintenance or early replacement.

MORE CHARGING FLEXIBILITY

Keep your operations running with our high-frequency charging range. IMPAQ™, NexSys®+ and NexSys COMPACT™ high-frequency battery chargers charge faster and efficiently manage the energy replenishment of your powerbloc™ batteries.

EVEN MORE APPLICATIONS

The powerbloc™ battery range is suitable for use in the following applications:

- Cleaning machines
- Pallet trucks
- Industrial electric vehicles
- Aerial platforms
- Automated Guided Vehicles (AGV)
- Wheelchairs
- Golf carts



Increased capacity means longer run time.



Integrated plug-and-play power systems with compatible components from one trusted supplier.



System power and performance with ownership costs verified before purchase and a warranty you can count on.

BENEFITS

POWERBLOC™ TP BATTERIES


- Experience unparalleled durability with the powerbloc™ TP battery series, featuring robust tubular positive plates and free electrolyte for a prolonged operating life.
- Enjoy premium construction that ensures robust performance, delivering optimal run-times even in the most demanding applications.
- Benefit from extended performance and runtime, maximizing your machine's effectiveness to its fullest potential.

POWERBLOC™ FPT BATTERIES

- Discover extended service life with the powerbloc™ FPT battery series, featuring advanced flat grid plates and paste formulation alongside free electrolyte.
- Experience enhanced performance with an advanced separator design and paste formulation, resulting in extended running times and reduced maintenance needs.
- Maximize productivity with superior performance, ensuring more productive run-times for your operations.

POWERBLOC™ DRY MFP BATTERIES

- Experience hassle-free operation with the powerbloc™ Dry MFP batteries, featuring grid plates in a special alloy and gel electrolyte for maintenance-free performance.
- Enjoy peace of mind with electrolyte immobilized in a gel, ensuring you can focus on your tasks without worrying about battery upkeep.
- Benefit from high current capability, reduced self-discharge, and resilience to temperature variations, guaranteeing reliable performance in diverse conditions.



POWERBLOC™ BATTERY TECHNICAL DATA

POWERBLOC™ TP BATTERIES

Type	Voltage [V]	C ₅ [Ah]	C ₂₀ [Ah]	Dimensions [max. mm]			Weight [kg]	N° of cycles ¹⁾ 80% DoD	Polarity ²⁾	Terminal ³⁾
				L	W	H				
6 TP 175	6	175	230	263	183	270	30.5	1100	1	AP
6 TP 210	6	210	260	244	190	269	33.5	1100	1	AP
12 TP 70	12	70	90	308	176	217	25.5	1100	1	AP
12 TP 90	12	90	120	344	171	233	28.6	1100	1	AP
12 TP 110	12	110	140	345	173	278	39	1100	1	AP

POWERBLOC™ FPT BATTERIES


Type	Voltage [V]	C ₅ [Ah]	C ₂₀ [Ah]	Dimensions [max. mm]			Weight [kg]	N° of cycles ¹⁾ 80% DoD	Polarity ²⁾	Terminal ³⁾
				L	W	H				
6 FPT 185	6	185	237	260	180	277	27.8	700	1	UT
6 FPT 195	6	195	250	261	181	278	29.2	700	1	UT
6 FPT 210	6	210	269	263	179	291	31.7	700	1	UT
6 FPT 215	6	215	275	297	181	293	33.2	700	1	UT
6 FPT 255	6	255	326	316	180	368	41.2	700	1	UT
6 FPT 305	6	305	390	312	182	418	50.6	700	1	UT
8 FPT 145	8	145	186	262	181	278	28.7	700	1	UT
12 FPT 85	12	85	109	323	172	232	26.6	700	2	DT
12 FPT 105	12	105	134	349	171	248	29	700	2	DT
12 FPT 120	12	120	150	350	180	278	39.2	700	2	UT
12 FPT 150	12	150	192	394	176	374	49.6	700	1	UT

Dimensions: +/- 2 mm | Overall Height | Weight: +/- 5%

1) Maximum 80% of DoD (depth of discharge).

2) Polarity variants, see next page.

3) Terminal configuration, see next page.



POWERBLOC™ BATTERY TECHNICAL DATA

POWERBLOC™ DRY MFP BATTERIES

Type	Voltage [V]	C ₅ [Ah]	C ₂₀ [Ah]	Dimensions [max. mm]			Weight [kg]	N° of cycles ¹⁾ 60% DoD	N° of cycles ¹⁾ 80% DoD	Polarity ²⁾	Terminal ³⁾
				L	W	H					
6 MFP 180	6	180	216	249	190	275	29.6	700	500	1	AP
12 MFP 50	12	50	65	278	175	190	21	700	500	1	AP
12 MFP 62	12	62	75	353	175	190	25.5	700	500	1	AP
12 MFP 70	12	70	90	307	169	228	24.1	700	500	2	AP
12 MFP 80	12	80	93	307	169	228	27.1	700	500	2	AP
12 MFP 105	12	105	129	349	174	283	37.4	700	500	1	AP

Dimensions: +/- 2 mm | Overall Height | Weight: +/- 5%

1) Maximum 80% of DoD (depth of discharge).

2) Polarity variants, see table below.

3) Terminal configuration, see table below.

Variants of Polarity or Enhanced Compatibility:

Batteries with different polarity options provide enhanced compatibility with a wide range of devices. This means you can easily find a battery that fits your specific electronic devices, reducing the hassle of searching for the right battery type.

Terminal Configurations or Optimized Connectivity:

Diverse terminal configurations ensure optimized connectivity for various devices. This translates to easier installation and a more reliable connection, ultimately leading to improved performance and longer-lasting battery life for your devices.

Variants of Polarity			
	1	2	3
6 V			
8 V			
12 V			

Terminal Configuration	
	Automotive Post (AP)
	Universal Terminal (UT)
	Dual Terminal (DT)



With batteries tailored to fundamental customer needs, like different polarity requirements and terminal configurations, customers benefit from the enhanced convenience, compatibility, and optimized performance.

OUR SOLUTIONS PUT TOTAL POWER IN MOTION FOR YOUR BUSINESS



● EnerSys® Direct ▲ EnerSys® Partner HQ EnerSys® EMEA Headquarters ⚡ EnerSys® Motive Power Production

EnerSys® is the global leader in stored energy solutions for industrial applications and designs, manufactures, and distributes energy systems solutions and motive power batteries, specialty batteries, battery chargers, power equipment, battery accessories and outdoor equipment enclosure solutions to customers worldwide.

EnerSys® Motive Power solutions form a complete, turnkey power system to make your operations more productive and profitable. Motive Power batteries and chargers are utilized in electric forklift trucks and other industrial electric powered vehicles requiring stored energy solutions.

EnerSys® also provides aftermarket and customer support services to its customers in over 100 countries through its sales and manufacturing locations around the world.

Wherever you are in Europe, EnerSys® is within reach and ready to support your fleet with 40+ Service locations.

- 24/7 coverage from 150+ authorized service technicians
- Tailored service contracts to your requirements
- Proactive cloud-based monitoring and real-time service scheduling
- Comprehensive maintenance reporting and monitoring plans



SERVICE AND SUPPORT

Our battery support services range from system design, installation and certification to testing, maintenance and repair.



Our comprehensive recycling support program accepts lead acid batteries of all sizes, from all manufacturers.



BATTERY MONITORING

Our advanced tools and technologies deliver actionable intelligence to optimize battery maintenance and operation.



EnerSys World Headquarters

2366 Bernville Road
Reading,
PA 19605, USA

www.enersys.com

EnerSys EMEA

EH Europe GmbH
Baarerstrasse 18
6300 Zug, Switzerland

EnerSys Asia

152 Beach Road
Gateway East Building #11-08
Singapore 189721

© 2024 EnerSys. All rights reserved. Trademarks and logos are the property of EnerSys and its affiliates unless otherwise noted. Subject to revisions without prior notice. E.&O.E.

EMEA-EN-PG-PB-0524